



PS MANUAL

DIAGNOSTIC TOOLS

1.0 Model **MM-FF310**

2.0 Description

Faultfinder



Durst Industries Australia Pty. Ltd.

durst.com.au

Phone: +61 2 9660 1755

Unit 1, 11 Packard Avenue
Castle Hill NSW 2154 Australia



3.0 Features

- Locates:
 - Short circuits
 - Open Connections
 - Broken Wires
 - Current leaks
 - Traces Wires.
- Locate problems without:
 - t having to untie harness
 - Open conduits
 - Remove panels

4.0 Physical and Dimensional Properties

- Each unit weighs approximately 800 g
- Width 45 mm
- Length 365 mm
- Height 25 mm
- Carry Case Dimensions: 2505 x 210 x 70

5.0 Performance

- Transmitter
 - Voltage range 6-42 Volts
 - Indicator – Green LED for Power ON or OPEN CIRCUITS
 - Red LED indicator for SHORT CIRCUITS
 - Two 5 Amp universal micro-clips with auto polarity and 450mm long cable
 - Battery life approximately 25Hrs
 -
- Tracer
 - Tracer sensitivity – 3 Levels LOW, MEDIUM, HIGH
 - Tracer Probe flexible 200mm gooseneck insulated steel probe
 - Indicator – Green LED for Power ON and OPEN CIRCUIT
 - Red LED indicator for SHORT CIRCUITS
 - Audio signal for shorts and opens
 - Variable flashing and modulated audible signal
 - Battery life approximately 25Hrs

6.0 Uses

- Ideal for Automotive Workshops

7.0 Documentation

- Bar Code Number: **9346080001911**
- Product Specification Manual – PS 204
- Work Instruction Manual - WI 204
- Product Costing Manual - PC 204

